


Available Case Footprints

Model Number Key **SH2808-0804**

Width | Lid
Length | Base



Interchangeable lids and bases create multiple size configurations



SH3016-0505



SH3016-0514



SH3016-1505



SH3016-1514

MODEL	NOMINAL INTERIOR DIMENSION L x W x D	BASE DEPTH	LID DEPTH	NOMINAL EXTERIOR DIMENSION L x W x D	APPROX. WEIGHT	REMOVABLE OR HINGED LID
SH1309-0603	13.5" x 9.2" x 10.6"	6.8"	3.8"	16.6" x 12.3" x 11.9"	11.5 lbs	Hinged
SH1414-1204	14.0" x 14.0" x 16.6"	12.6"	4.2"	18.1" x 17.3" x 19.0"	20.6 lbs	Hinged
SH1609-1304	16.5" x 9.2" x 18.0"	13.8"	4.2"	19.4" x 13.8" x 20.0"	15.8 lbs	Hinged
SH1612-0410	16.8" x 12.8" x 15.1"	4.2"	10.9"	20.0" x 16.0" x 17.0"	16.7 lbs	Removable
SH1612-1103	16.8" x 12.8" x 15.1"	11.3"	3.8"	20.0" x 16.0" x 17.0"	16.7 lbs	Hinged
SH1612-1110	16.8" x 12.8" x 22.3"	11.3"	10.9"	20.0" x 16.0" x 24.2"	21.1 lbs	Removable
SH1814-0503	18.5" x 14.9" x 8.7"	5.1"	3.6"	21.5" x 18.0" x 10.7"	14.1 lbs	Hinged
SH1814-0504	18.5" x 14.9" x 9.9"	5.1"	4.9"	21.7" x 18.5" x 12.1"	14.3 lbs	Removable
SH1818-0407	18.8" x 18.8" x 11.0"	4.4"	7.3"	22.5" x 22.1" x 13.8"	20.0 lbs	Removable
SH1818-0413	18.8" x 18.8" x 18.3"	4.4"	13.9"	22.5" x 22.2" x 20.5"	25.1 lbs	Removable
SH1818-0704	18.8" x 18.8" x 11.0"	7.3"	4.4"	22.5" x 22.1" x 13.8"	20.0 lbs	Hinged
SH1818-1304	18.8" x 18.8" x 18.3"	13.9"	4.4"	22.5" x 22.2" x 20.5"	25.1 lbs	Hinged
SH2013-0902	20.4" x 13.3" x 12.0"	9.5"	2.5"	23.8" x 16.5" x 14.3"	19.9 lbs	Hinged
SH2016-0419	20.8" x 16.8" x 24.0"	4.5"	19.4"	24.0" x 20.0" x 25.5"	31.3 lbs	Removable
SH2016-1919	20.8" x 16.8" x 39.2"	19.8"	19.4"	24.0" x 20.0" x 41.1"	40.0 lbs	Removable
SH2016-1904	20.8" x 16.8" x 24.0"	19.8"	4.2"	24.0" x 20.0" x 25.5"	31.3 lbs	Hinged
SH2216-0411	22.8" x 16.8" x 15.3"	4.1"	11.1"	26.1" x 20.0" x 17.1"	24.4 lbs	Removable
SH2216-0415	22.8" x 16.8" x 19.7"	4.1"	15.6"	25.6" x 19.6" x 22.8"	27.5 lbs	Removable
SH2216-0704	22.8" x 16.8" x 11.1"	7.0"	4.1"	25.6" x 19.6" x 13.0"	20.9 lbs	Hinged

Available Case Footprints

MODEL	NOMINAL INTERIOR DIMENSION L x W x D	BASE DEPTH	LID DEPTH	NOMINAL EXTERIOR DIMENSION L x W x D	APPROX. WEIGHT	REMOVABLE OR HINGED LID
SH2216-1104	22.8" x 16.8" x 15.3"	11.1"	4.1"	26.1" x 20.0" x 17.1"	24.4 lbs	Hinged
SH2216-1404	22.8" x 16.8" x 18.4"	14.3"	4.1"	25.6" x 19.6" x 21.7"	27.0 lbs	Hinged
SH2216-1504	22.8" x 16.8" x 19.7"	15.6"	4.1"	25.6" x 19.6" x 22.8"	27.5 lbs	Hinged
SH2317-0903	23.0" x 17.0" x 12.9"	9.3"	3.5"	27.0" x 20.5" x 16.0"	27.5 lbs	Hinged
SH2321-0411	23.1" x 21.6" x 16.6"	4.6"	11.8"	26.4" x 24.4" x 18.5"	29.0 lbs	Removable
SH2321-1104	23.1" x 21.6" x 16.6"	11.8"	4.6"	26.4" x 24.4" x 18.5"	29.0 lbs	Hinged
SH2321-1111	23.1" x 21.6" x 23.6"	11.8"	11.8"	26.4" x 24.4" x 25.8"	33.7 lbs	Removable
SH2626-0609	26.0" x 26.0" x 15.8"	6.0"	9.8"	29.5" x 29.5" x 17.8"	32.5 lbs	Removable
SH2626-0620	26.0" x 26.0" x 26.0"	6.0"	20.0"	29.5" x 29.5" x 27.7"	41.0 lbs	Removable
SH2626-0906	26.0" x 26.0" x 15.8"	9.8"	6.0"	29.5" x 29.5" x 17.8"	32.5 lbs	Hinged
SH2626-2006	26.0" x 26.0" x 26.0"	20.0"	6.0"	29.5" x 29.5" x 27.7"	41.0 lbs	Hinged
SH2723-0504	27.0" x 23.0" x 9.9"	5.1"	4.8"	30.5" x 26.5" x 12.0"	27.5 lbs	Removable
SH2723-0513	27.0" x 23.0" x 18.7"	5.1"	13.9"	30.5" x 26.5" x 20.8"	35.0 lbs	Removable
SH2723-1304	27.0" x 23.0" x 18.7"	13.9"	4.8"	30.5" x 26.5" x 20.8"	35.0 lbs	Hinged
SH2723-1313	27.0" x 23.0" x 27.4"	13.9"	13.5"	30.5" x 26.5" x 29.5"	42.8 lbs	Removable
SH2808-0408	28.5" x 8.5" X 12.9"	4.4"	8.4"	31.7" x 11.7" x 14.7"	20.4 lbs	Removable
SH2808-0804	28.5" x 8.5" X 12.9"	8.7"	4.1"	31.7" x 11.7" x 14.7"	20.4 lbs	Hinged
SH2808-0808	28.5" x 8.5" X 17.0"	8.7"	8.4"	31.7" x 11.7" x 19.0"	21.2 lbs	Removable
SH3016-0505	30.2" x 16.2" x 11.1"	5.8"	5.3"	33.5" x 19.5" x 12.9"	31.4 lbs	Removable
SH3016-0514	30.2" x 16.2" x 20.6"	5.8"	14.8"	33.5" x 19.5" x 22.4"	38.3 lbs	Removable
SH3016-1505	30.2" x 16.2" x 20.6"	15.3"	5.3"	33.5" x 19.5" x 22.4"	38.3 lbs	Hinged
SH3016-1514	30.2" x 16.2" x 30.1"	15.3"	14.8"	33.5" x 19.5" x 31.9"	45.2 lbs	Removable
SH3018-0505	29.5" x 17.6" x 10.8"	5.6"	5.2"	32.8" x 20.9" x 12.8"	25.7 lbs	Removable
SH3018-0514	29.5" x 17.6" x 20.0"	5.6"	14.4"	32.8" x 20.9" x 21.9"	31.7 lbs	Removable
SH3018-1405	29.5" x 17.6" x 20.0"	14.8"	5.2"	32.8" x 20.9" x 21.9"	31.2 lbs	Hinged
SH3018-1414	29.5" x 17.6" x 29.2"	14.8"	14.4"	32.8" x 20.9" x 31.0"	38.7 lbs	Removable
SH3024-0505	30.3" x 24.3" x 10.0"	5.2"	4.8"	33.5" x 27.5" x 11.9"	30.0 lbs	Removable
SH3024-0515	30.3" x 24.3" x 20.0"	5.2"	14.8"	33.5" x 27.5" x 21.9"	38.5 lbs	Removable
SH3024-1505	30.3" x 24.3" x 20.0"	15.2"	4.8"	33.5" x 27.5" x 21.9"	38.0 lbs	Hinged
SH3024-1515	30.3" x 24.3" x 30.0"	15.2"	14.8"	33.5" x 27.5" x 31.9"	47.0 lbs	Removable
SH3121-0415	31.6" x 21.5" x 19.6"	4.7"	15.0"	34.6" x 24.6" x 21.8"	39.0 lbs	Removable
SH3121-1504	31.6" x 21.5" x 19.6"	15.0"	4.7"	34.6" x 24.6" x 21.8"	39.0 lbs	Hinged

Available Case Footprints

MODEL	NOMINAL INTERIOR DIMENSION L x W x D	BASE DEPTH	LID DEPTH	NOMINAL EXTERIOR DIMENSION L x W x D	APPROX. WEIGHT	REMOVABLE OR HINGED LID
SH3521-0307	35.3" x 21.6" x 11.2"	3.8"	7.4"	39.0" x 24.9" x 13.3"	33.6 lbs	Removable
SH3521-0703	35.3" x 21.6" x 11.2"	7.4"	3.8"	39.0" x 24.9" x 13.3"	33.6 lbs	Hinged
SH3535-0807	35.0" x 35.0" x 15.8"	8.1"	7.7"	39.0" x 39.0" x 17.9"	48.5 lbs	Removable
SH3535-0819	35.0" x 35.0" x 27.9"	8.1"	19.8"	39.0" x 39.0" x 29.9"	65.0 lbs	Removable
SH3535-0823	35.0" x 35.0" x 31.9"	8.1"	23.8"	39.0" x 39.0" x 33.9"	67.0 lbs	Removable
SH3535-2007	35.0" x 35.0" x 27.9"	20.2"	7.7"	39.0" x 39.0" x 29.9"	65.0 lbs	Removable
SH3535-2019	35.0" x 35.0" x 40.0"	20.2"	19.8"	39.0" x 39.0" x 42.0"	78.0 lbs	Removable
SH3535-2023	35.0" x 35.0" x 44.0"	20.2"	23.8"	39.0" x 39.0" x 46.0"	80.0 lbs	Removable
SH3535-2407	35.0" x 35.0" x 31.9"	24.2"	7.7"	39.0" x 39.0" x 33.9"	67.0 lbs	Removable
SH3535-2419	35.0" x 35.0" x 44.0"	24.2"	19.8"	39.0" x 39.0" x 46.0"	80.0 lbs	Removable
SH3535-2423	35.0" x 35.0" x 48.0"	24.2"	23.8"	39.0" x 39.0" x 50.0"	86.0 lbs	Removable
SH3714-0502	37.4" x 14.1" x 7.9"	5.4"	2.5"	40.4" x 17.3" x 10.1"	23.3 lbs	Hinged
SH3714-0505	37.4" x 14.1" x 10.4"	5.4"	5.0"	40.4" x 17.3" x 12.8"	27.0 lbs	Removable
SH4225-0505	42.8" x 25.8" x 11.0"	5.7"	5.3"	46.8" x 29.8" x 12.8"	41.5 lbs	Removable
SH4225-0510	42.8" x 25.8" x 15.8"	5.7"	10.3"	46.8" x 29.8" x 16.0"	48.5 lbs	Removable
SH4225-0515	42.8" x 25.8" x 21.0"	5.7"	15.3"	46.8" x 29.8" x 23.0"	53.5 lbs	Removable
SH4225-1005	42.8" x 25.8" x 16.0"	10.7"	5.3"	46.8" x 29.8" x 17.9"	48.5 lbs	Hinged
SH4225-1010	42.8" x 25.8" x 21.0"	10.7"	10.3"	46.8" x 29.8" x 22.9"	55.0 lbs	Removable
SH4225-1015	42.8" x 25.8" x 26.0"	10.7"	15.3"	46.8" x 29.8" x 27.9"	61.0 lbs	Removable
SH4225-1505	42.8" x 25.8" x 21.0"	15.7"	5.3"	46.8" x 29.8" x 23.0"	53.5 lbs	Hinged
SH4225-1510	42.8" x 25.8" x 26.0"	15.7"	10.3"	46.8" x 29.8" x 27.9"	61.0 lbs	Removable
SH4225-1515	42.8" x 25.8" x 31.0"	15.7"	15.3"	46.8" x 29.8" x 33.0"	65.5 lbs	Removable
SH5217-0707	52.3" x 17.1" x 14.0"	7.0"	7.0"	56.8" x 20.1" x 16.4"	39.2 lbs	Removable
SH5841-0706	58.3" x 41.3" x 13.8"	7.1"	6.7"	61.5" x 44.5" x 15.7"	75.0 lbs	Removable
SH5841-0709	58.3" x 41.3" x 16.3"	7.1"	9.1"	61.5" x 44.5" x 18.4"	79.0 lbs	Removable
SH5841-0906	58.3" x 41.3" x 16.3"	9.7"	6.7"	61.5" x 44.5" x 18.4"	79.0 lbs	Removable
SH5841-0909	58.3" x 41.3" x 18.8"	9.7"	9.1"	61.5" x 44.5" x 20.7"	84.0 lbs	Removable
SH5935-0707	59.0" x 35.0" x 15.5"	7.9"	7.6"	63.0" x 39.0" x 17.9"	68.6 lbs	Removable
SH5935-0715	59.0" x 35.0" x 23.7"	7.9"	15.8"	63.0" x 39.0" x 26.0"	78.6 lbs	Removable
SH5935-1607	59.0" x 35.0" x 23.7"	16.1"	7.6"	63.0" x 39.0" x 26.0"	78.6 lbs	Removable
SH5935-1615	59.0" x 35.0" x 32.0"	16.1"	15.8"	63.0" x 39.0" x 34.0"	98.6 lbs	Removable
SH6024-1010	60.3" x 24.3" x 19.4"	9.6"	9.8"	63.8" x 27.8" x 22.9"	67.5 lbs	Removable

New Case Footprints Available 2022

MODEL	NOMINAL INTERIOR DIMENSION L x W x D	BASE DEPTH	LID DEPTH	NOMINAL EXTERIOR DIMENSION L x W x D	APPROX. WEIGHT	REMOVABLE OR HINGED LID
SH2418-0505*	24.5" x 18.2" x 10.0"	5.2"	4.8"	27.7" x 21.4" x 15.9"	18.3 lbs	Removable
SH2418-0510*	24.5" x 18.2" x 15.0"	5.2"	9.8"	27.7" x 21.4" x 16.9"	21.8 lbs	Removable
SH2418-1005*	24.2" x 17.9" x 15.0"	10.2"	4.8"	27.7" x 21.4" x 16.9"	20.8 lbs	Hinged
SH2418-1010*	24.2" x 17.9" x 20.0"	10.2"	9.8"	27.7" x 21.4" x 21.9"	24.0 lbs	Removable
SH2624-0505*	26.0" x 24.0" x 10.5"	5.2"	5.3"	29.5" x 27.5" x 12.4"	27.5 lbs	Removable
SH2624-0510*	26.0" x 24.0" x 15.5"	5.2"	10.3"	29.5" x 27.5" x 17.4"	31.3 lbs	Removable
SH2624-1005*	26.0" x 24.0" x 15.5"	10.2"	5.3"	29.5" x 27.5" x 17.4"	31.3 lbs	Hinged
SH2624-1010*	26.0" x 24.0" x 20.0"	10.2"	10.3"	29.5" x 27.5" x 22.4"	35.6 lbs	Removable
SH3417-0510*	34.1" x 17.1" x 10.0"	5.1"	4.8"	37.7" x 21.4" x 11.9"	26.8 lbs	Removable
SH3417-0515*	34.1" x 17.1" x 15.0"	5.1"	9.8"	37.7" x 21.4" x 16.9"	31.0 lbs	Removable
SH3417-1005*	34.1" x 17.1" x 15.0"	10.1"	4.8"	37.7" x 21.4" x 16.9"	31.0 lbs	Hinged
SH3417-1010*	34.1" x 17.1" x 20.0"	10.1"	9.8"	37.7" x 21.4" x 16.9"	36.8 lbs	Removable
SH4532-0606*	45.0" x 32.0" x 11.6"	6.0"	5.6"	48.5" x 35.5" x 16.5"	55.2 lbs	Removable
SH4532-0616*	45.0" x 32.0" x 21.1"	6.0"	15.1"	48.5" x 35.5" x 26.0"	65.5 lbs	Removable
SH4532-1606*	45.0" x 32.0" x 21.1"	15.5"	5.6"	48.5" x 35.5" x 26.0"	65.5 lbs	Hinged
SH4532-1616*	45.0" x 32.0" x 30.6"	15.5"	15.1"	48.5" x 35.5" x 34.8"	76.4 lbs	Removable
SH6018-1005*	60.0" x 18.0" x 15.4"	10.1"	5.3"	63.5" x 21.5" x 18.0"	49.5 lbs	Hinged

* New cases, in process of certification

Standard Features

- Rotationally molded, double-walled construction
- Watertight, airtight, dustproof with pressure relief valve
- Interlocking stackable design
- Recessed, heavy-duty stainless steel hardware
- Tongue & groove construction with gasket
- Spring-loaded bail handles
- Interchangeable bases and lids
- Standard colors include: Black, White, Blue, Blue Granite, Gray, Granite, Silver, Olive Drab, Yellow, Desert Tan, and Orange
- Plastic handles standard on most cases. See individual specification sheet for details

Custom Options

- Custom foam inserts, foam material options and custom thermoformed inserts
- Shock mounts, hinged compartments and literature pockets
- Extension handles, edge casters and bottom caster wheels, including removable wheels
- Stenciling, graphics and metal or plastic engraved label plates
- Integrated padlock brackets
- Fire retardant resins available to meet V0 requirement of UL94 Flammability testing & MIL-STD-648-Stacked Container Fire Test
- Case wall cutouts, build-to-plan configurations, custom testing and more

Certifications

- IP67
- MIL-STD 810