

STRONGHOLDSH5935 Series

STRONGHOLD® Cases from Gemstar® offer MIL-STD durability and airtight protection for high-value cargo. Featuring rotationally-molded double walls and thick corners STRONGHOLD is the choice for rugged, versatile and dependable protection.

Standard Features

- Rotationally molded, double-walled durability
- IP67 rated; watertight, airtight and dust-proof with automatic pressure relief valve
- Meets or exceeds MIL-STD 810F and meets military LLRC standards*
- Recessed, heavy-duty black stainless steel hardware
- Field serviceable hardware
- Spring-loaded handles
- Tongue & groove construction with gasket
- Interlocking, stackable design
- Choice of 10 standard colors
- Guaranteed Performance*
- * See website for guarantee details, complete certifications and test procedures.

Standard Models

- SH5935-0707
- SH5935-0715
- SH5935-1607
- SH5935-1615

Standard and Custom Options

 Offering a robust selection of custom features, colors, and sizes. For more information visit
 Gemstarmfg.com, or contact your local
 Distributor or Sales Manager.

Standard Color Options**




^{**} Colors are approximate and are for visual purposes only.










SH5935-0707 Top Profile





SH5935-0707 Side and End Profile






| Nominal INT Dimension | 59.0"L x 35.0"W x 15.5"D 1,498L x 889W x 393D mm |
|-----------------------|--|
| Base Depth | 7.9" 200 mm |
| Lid Depth | 7.6" 193 mm |
| Nominal EXT Dimension | 63.0"L x 39.0"W x 17.9"D 1,600L x 990W x 454D mm |
| Approx. Weight | 72.5 lbs 32.9 kg |
| Features | Removable lidTextured plastic handles (8)PRV |









SH5935-0715 Top Profile



MODEL NUMBER KEY SH 59 35 - 07 15 Length Lid Width Base Model numbers refer to interior dimensions

SH5935-0715 Side and End Profile






| Nominal INT Dimension | 59.0"L x 35.0"W x 23.7"D 1,498L x 889W x 601D mm |
|-----------------------|--|
| Base Depth | 7.9" 200 mm |
| Lid Depth | 15.8" 401 mm |
| Nominal EXT Dimension | 63.0"L x 39.0"W x 26.0"D 1,600L x 990W x 660D mm |
| Approx. Weight | 84.0 lbs 38.1 kg |
| Features | Removable lidTextured plastic handles (8)PRV |









SH5935-1607 Top Profile



MODEL NUMBER KEY SH 59 35 - 16 07 Length Lid Width Base Model numbers refer to interior dimensions

SH5935-1607 Side and End Profile






| Nominal INT Dimension | 59.0"L x 35.0"W x 23.7"D 1,498L x 889W x 601D mm |
|-----------------------|--|
| Base Depth | 16.1" 408 mm |
| Lid Depth | 7.6" 193 mm |
| Nominal EXT Dimension | 63.0"L x 39.0"W x 26.0"D 1,600L x 990W x 660D mm |
| Approx. Weight | 84.0 lbs 38.1 kg |
| Features | Removable lidTextured plastic handles (8)PRV |









SH5935-1615 Top Profile



MODEL NUMBER KEY SH 59 35 - 16 15 Length Lid Width Base Model numbers refer to interior dimensions

SH5935-1615 Side and End Profile





| Nominal INT Dimension | 59.0"L x 35.0"W x 31.9"D 1,498L x 889W x 809D mm |
|-----------------------|--|
| Base Depth | 16.1" 408 mm |
| Lid Depth | 15.8" 401 mm |
| Nominal EXT Dimension | 63.0"L x 39.0"W x 34.0"D 1,600L x 990W x 863D mm |
| Approx. Weight | 95.5 lbs 43.3 kg |
| Features | Removable lidTextured plastic handles (8)PRV |
| | |



